		SAFETY I	DATA SHEET		PoliDent	
		according to Commission Reg	ulation (FU) 2020/878 a	as amended	ົດ	
			5 POWDER		40	
Creati	on date	21st November 2019				
	on date	02nd February 2023	Version	2.0		
SECT	ON 1: Identific	ation of the substance/mixture a	nd of the company/u	ndertaking		
1.1.	Product ident	ifier	K-30 S POWDER			
	Substance / mi	xture	mixture			
1.2.	Relevant iden	tified uses of the substance or m	ixture and uses advise	ed against		
	Mixture's inte	ended use		-		
	Material for the fabrication of full and partial dentures.					
	Mixture uses advised against					
	The product sh	ould not be used in ways other than	those referred in Sectior	n 1.		
1.3.	Details of the	supplier of the safety data sheet				
	Supplier					
	Name or	trade name	Polident d.o.o., [Industry	Dental Products		
	Address		Volčja Draga 42,	, Volčja Draga, 5293		
			Slovenia			
	VAT Reg	No	SI31319297			
	Phone		00386 5 330484	0, Fax: 00386 5 3304	4870	
	E-mail		polident@polider	nt.si		
	Competent pe	erson responsible for the safety d	ata sheet			
	Name		Polident d.o.o., E Industry	Dental Products		
	E-mail		polident@polider	nt.si		
1.4.		elephone number 140 - Polident d.o.o Available from	Mon to Fri 7 a.m. to 3 p	.m.		
	112 - Informat	ion center - available 0-24				

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is not classified as dangerous according to Regulation (EC) No 1272/2008.

Full text of all classifications and hazard statements is given in the section 16.

2.2. Label elements

Supplemental information

EUH208 Contains Dibenzoyl peroxide. May produce an allergic reaction.

2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Product contents polymethylmethacrylate, pigments and dibenzoyl peroxide.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 9011-14-7 EC: 618-466-4	Poly(methyl methacrylate)	>98	not classified as dangerous	2

PoliDent

ົດ

according to Commission Regulation (EU) 2020/878 as amended

K-30 S POWDER

	R-30 S POWDER					
Creation date21st November 2019Revision date02nd February 2023Version2.0						
Identification numbers	Substance name		Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note	
Index: 617-008-00-0 CAS: 94-36-0 EC: 202-327-6 Registration number: 01-2119511472-50	Dibenzoyl peroxide		0,4-0,7	Org. Perox. B, H241 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)	1, 2	

Notes

1 Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3 of Annex VI to Regulation (EC) No 1272/2008. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier who places such a substance on the market must state on the label the name of the substance followed by the words "non-stabilised".

2 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

There are not any particular first aid measures required. Remove person to fresh air and keep comfortable for breathing. If the affected person is not breathing, breathing is irregular or in respiratory arrest provide artificial respiration or oxygen. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

If on skin

Remove contaminated clothes. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Depending on the situation, call medical rescue service or ensure medical treatment.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. DO NOT INDUCE VOMITING! In the event of issues, find medical help.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Not expected. May cause respiratory irritation. Cough, headache.

If on skin

Not expected. May cause an allergic skin reaction. Irritation, itching, redness.

If in eyes

Not expected. It can cause irritation and restorable damage. Irritation, lacrimation, pain.

If swallowed

Not expected.

4.3. Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, extinguishing powder, water spray jet, water mist. **Unsuitable extinguishing media** Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

PoliDent

ົດ

according to Commission Regulation (EU) 2020/878 as amended

K-30 S POWDER

Creation date	21st November 2019			
Revision date	02nd February 2023	Version	2.0	

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes. Do not inhale dust.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Clean up mechanically. Dispose of the collected material according to the instructions in the section 13.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Only adequate trained persons may deal with product. For use in dentistry only.

Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Protect from moisture. Do not inhale dust.

7.2. Conditions for safe storage, including any incompatibilities

Keep the powder only in the original vessel in cool and dry place.

7.3. Specific end use(s)

Expiry date: Considering the instructions for safety storage and handling the expiry date of the powder is five years.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

~				
5	oν	er	าเล	

Uradni list RS, Št. 38

Slovenia Uradni list KS, St.				
Substance name (component)	Туре	Value	Note	
Poly(methyl methacrylate) dust - alveolar fraction		Alveolar fraction - respirable fraction which can penetrate		
(CAS: 9011-14-7)	KTV (15 min)	2,5 mg/m ³	the sac alveolar.	
Poly(methyl methacrylate) dust - inhalable	8 hours	10 mg/m ³	Inhalable fraction - the part of the total suspended substance	
fraction (CAS: 9011-14-7)	KTV (15 min)	20 mg/m ³	inhaled by the worker.	
Dibenzoyl peroxide dust - alveolar fraction (CAS:	8 hours	1,25 mg/m³	Alveolar fraction - respirable fraction which can penetrate	
94-36-0)	KTV (15 min)	2,5 mg/m ³	the sac alveolar.	
Dibenzoyl peroxide dust - inhalable fraction (CAS: 94-36-0)	8 hours	10 mg/m ³	Inhalable fraction - the part of the total suspended substance inhaled by the worker.	

PoliDent

ົດ

Uradni list RS Št. 38

according to Commission Regulation (EU) 2020/878 as amended

K-30 S POWDER

Creation date	21st November 2019		
Revision date	02nd February 2023	Version	2.0

Slovenia

Substance name (component)	Туре	Value	Note
Dibenzoyl peroxide dust - inhalable fraction (CAS: 94-36-0)	KTV (15 min)	20 mg/m ³	Inhalable fraction - the part of the total suspended substance inhaled by the worker.

Slovenia

Uradni list RS, Št. 72/2021

Substance name (component)	Туре	Value	Note
Dibenzoyl peroxide (CAS: 94-36-0)	8 hours	5 mg/m ³	Inhalable fraction - the part of
	KTV (15 min)	5 mg/m³	the total suspended substance inhaled by the worker.

United Kingdom	EH40/2005 Wor	EH40/2005 Workplace exposure limits (Fourth Edition 2020)			
Substance name (component)	Туре	Value	Note		

5 mg/m³

WEL 8h

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used.

Eye/face protection

Dibenzoyl peroxide (CAS: 94-36-0)

If there is a risk of dust, use safety glasses with side protection (EN 166:2007).

Skin protection

When handling in long-term or repeatedly, use protective gloves. EN ISO 374-1.

In practise, as the product is a preparation of several substances, resistance tests of glove materials cannot be conducted in advance and should be performed by the end user prior to application. A suitable glove type should be selected for each work environment. On the whole, for permanent contact in work areas, natural latex (NR) gloves are suitable.

Body protection - On handling larger quantities: light weight protective clothing.

Respiratory protection

Under regular circumstances it is not necessary. Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation. Half mask with dust filter P2 - EN 405:2002+A1:2010, EN 136:1998/AC:2000, EN 14387:2021. For concentrations of dust/gases/vapours above the usable limit of the filters, for oxygen concentrations below 17% or in unclear conditions, use self-contained breathing apparatus with a closed circuit according to EN 145:1998, EN 138:1996.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	solid
Colour	according to product specification
Odour	without fragrance
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	>400 °C
Lower and upper explosion limit	data not available

PoliDent

according to Commission Regulation (EU) 2020/878 as amended

K-30 S POWDER

Creation date	21st November 2019		
Revision date	02nd February 2023	Version	2.0
Flash point		data not available	
Auto-ignition to	emperature	data not available	
Decomposition	temperature	data not available	
pН		data not available	
Kinematic visco	osity	data not available	
Solubility in water Solubility organic solvents Partition coefficient n-octanol/water (log value)		insoluble	
		soluble	
		data not available	
Vapour pressu	re	data not available	
Density and/or	relative density		
Density		1,2 g/cm³ at 20 °C	
Relative vapou	r density	data not available	
Particle charac	teristics	data not available	
9.2. Other inform	ation		
Explosive prop	erties	20 g /m3 (Lower Expl	osion Limit)
The product is	not self-igniting or explosive, however	formation of explosive pow	der/air mixtures is possible.

SECTION 10: Stability and reactivity

10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances. Avoid contact with other chemicals.

10.2. Chemical stability

Stable under normal temperature conditions and when used as directed. Decomposition can occur at elevated temperatures (>250°C), releasing potentially irritating vapours (methyl methacrylate).

10.3. Possibility of hazardous reactions

The product is stable under normal conditions. No hazardous reactions known when used as directed.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. Protect from humidity.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire. Organic products of decomposition.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute Oral Toxicity LD50 rat (PMMA) >10000mg/kg

Product is not subject to classification according to the calculation method of the General EC Classification Guidelines for Preparations. When used and handled according to specifications and GLP, no harmful effects are observed.

Acute toxicity

Based on available data the classification criteria are not met.

Dibenzoyl peroxide

Route of exposure	Parameter	Value	Exposure time	Species	Sex
	LD50	7710 mg/kg		Rat	
	LC ⁵⁰	24.3 mg/l	4 hours	Rat	

Skin corrosion/irritation

Based on available data the classification criteria are not met. No irritant effect.

PoliDent

ົດ

according to Commission Regulation (EU) 2020/878 as amended

K-30 S POWDER

Creation date	21st November 2019			
Revision date	02nd February 2023	Version	2.0	

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

May cause an allergic skin reaction.

Dibenzoyl peroxide

No irritant effect.

Route of exposure	Result	Exposure time	Species	Sex
Dermal	Sensitizing			

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Toxicity to the aquatic environment is not expected. The product is insoluble in water - an inert polymer. Dibenzoyl peroxide

Parameter	Method	Value	Exposure time	Species	Environmen t
LC50	OECD 203	0.0602 mg/l	96 hours	Fish (Oncorhynchus mykiss)	
EC₅o	OECD 202	0.11 mg/l	48 hours	Daphnia (Daphnia magna)	
EC50	OECD 201	0.0711 mg/l	72 hours	Algae (Pseudokirchneriella subcapitata)	
EC50	OECD 209	35 mg/l	0,5 hours	Bacteria	

Chronic toxicity Dibenzoyl peroxide

Parameter	Value	Exposure time	Species	Environment
EC10	0.001 mg/l	21 days	Daphnia (Daphnia magna)	

12.2. Persistence and degradability

Product is solid, chemically inert and non-biodegradable. No negative effects are known.

12.3. Bioaccumulative potential

No evidence for hazardous properties.

12.4. Mobility in soil

The substance is not water soluble. No evidence for hazardous properties.

12.5. Results of PBT and vPvB assessment

PoliDent

ົດ

according to Commission Regulation (EU) 2020/878 as amended

K-30 S POWDER

Creation date	21st November 2019				
Revision date	02nd February 2023	Version	2.0		

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity.

Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007).

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended.

Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 02 00	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 13	waste plastic

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

- **14.2.** UN proper shipping name not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.
- 14.7. Maritime transport in bulk according to IMO instruments not relevant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended.

Clean Air Act 1993 as amended. Public health act 1961.

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended.

REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

Product is a medical device class IIa according to the Medical Device Regulation MDR 2017/745.

PoliDent

ଭ

according to Commission Regulation (EU) 2020/878 as amended

K-30 S POWDER

Creation date Revision date

Version

2.0

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

21st November 2019

02nd February 2023

SECTION 16: Other information

A list of standard risk	phrases used in the safety data sheet
H241	Heating may cause a fire or explosion.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
A list of additional sta	ndard phrases used in the safety data sheet
EUH208	Contains Dibenzoyl peroxide. May produce an allergic reaction.
Other important infor	mation about human health protection
	e - unless specifically approved by the manufacturer/importer - used for purposes other than e user is responsible for adherence to all related health protection regulations.
Key to abbreviations a	and acronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC10	Concentration of a substance when it is affected 10% of the population
EC50	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ⁵⁰	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD50	Lethal dose of a substance in which it can be expected death of 50% of the population
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aquatic Acute	Hazardous to the aquatic environment

PoliDent

ົດ

according to Commission Regulation (EU) 2020/878 as amended

K-30 S POWDER

K-30 S POWDER				
21st November 2019				
02nd February 2023	Version	2.0		
	21st November 2019	21st November 2019	21st November 2019	

Aquatic ChronicHazardous to the aquatic environment (chronic)Eye Irrit.Eye irritationOrg. Perox.Organic peroxideSkin Sens.Skin sensitization

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 2.0 replaces the SDS version from 21.11.2019.

Changes were made in sections:

2.3 Other hazards,

3.2 Mixtures - content in % weight,

11.2 Information on other hazards,

12.6 Endocrine disrupting properties and

16 Other information.

More information

Classification procedure - calculation method.

Safety Data Sheet created by CHEM CONSULTING s.p.(www.chem-consulting.si)

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.